



MATERIAL SAFETY DATA SHEET

PRODUCT: PROTECTORGLAZE

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION

PRODUCT NAME: PROTECTORGLAZE PEELABLE COATING

PRODUCT NO: 10066222

SUPPLIER: OCKWELLS

2. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients are not hazardous and not regulated.

Chemical Name	Index No.	EC No.	Conc (%w/w)	Classification
Benzotriazole Derivative	607-176-00-3	400-830-7	0-0.5%	R43 N; R51/53
Benzotriazole Derivative	607-176-00-3	400-830-7	0-0.5%	Skin Sens, 1:H317 Aquatic Chronic 2: H411

3. HAZARDS IDENTIFICATION

Water Based and not regarded as a health or environmental hazard under current legislation.

4. FIRST AID MEASURES

SKIN CONTACT: Frequent or prolonged skin contact may irritate skin.

EYE CONTACT: Slightly irritating but does not injure eye tissue.

INHALATION: Vapours may be irritating to respiratory system and nasal passages.

INGESTION: Low toxicity. No hazard with normal use.

CHRONIC: None known.

NEWBURY
Unit 6, Transigo,
Gables Way, Thatcham,
Berkshire RG19 4ZA
T: 01635 876336
sales@ockwells.com

WARRINGTON
Unit 29, Melford Court,
Woolston, Warrington,
Cheshire WA1 4RZ
T: 01925 820003
sales.warrington@ockwells.com

GLASGOW
Unit 2, 45 Maclellan Street
Kinning Parkway Estate,
Glasgow G41 1RR
T: 0141 427 3366
sales.glasgow@ockwells.com

EAST LONDON
Unit E1, Thames View
Business Centre, Fairview Ind
Park, Rainham RM13 8BT
T: 020 7473 8770
sales.rainham@ockwells.com

These properties are the Manufacturer's typical values based on the average of several tests. As the installation and handling of this product is beyond our control, the user must ensure that the product is suitable for the application. Ockwells cannot accept responsibility for any loss or damage that may occur either directly or indirectly by the use of this product. Ockwells also holds the right to change specification data without prior notice.



5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA

This product is non-flammable. Use fire-extinguishing media appropriate for surrounding Materials.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Wear protective clothing as described in Section 8 of this safety data sheet.

ENVIRONMENTAL PRECAUTIONS

Do not allow to enter drains, sewers or watercourses. Contain spillages with sand, earth or any suitable absorbent material. Transfer liquid to containers, if possible, for recovery or disposal.

SPILL CLEAN UP METHODS

Flush away spillage with plenty of water. Spill emulsion very slippery. Avoid falls.

7. HANDLING AND STORAGE

USAGE PRECAUTIONS

Avoid spilling, skin and eye contact. Do not use in confined spaces without adequate ventilation and/or respirator.

STORAGE PRECAUTIONS

Keep containers tightly closed. Keep in original container. Keep away from food, drink and animal feeding stuffs. Store above freezing. Minimise contact with air to prevent bacterial growth.

STORAGE CLASS

Water based , General chemical storage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT

Approved goggles & Approved gloves.

NEWBURY

Unit 6, Transigo,
Gables Way, Thatcham,
Berkshire RG19 4ZA
T: 01635 876336
sales@ockwells.com

WARRINGTON

Unit 29, Melford Court,
Woolston, Warrington,
Cheshire WA1 4RZ
T: 01925 820003
sales.warrington@ockwells.com

GLASGOW

Unit 2, 45 Maclellan Street
Kinning Parkway Estate,
Glasgow G41 1RR
T: 0141 427 3366
sales.glasgow@ockwells.com

EAST LONDON

Unit E1, Thames View
Business Centre, Fairview Ind
Park, Rainham RM13 8BT
T: 020 7473 8770
sales.rainham@ockwells.com

These properties are the Manufacturer's typical values based on the average of several tests. As the installation and handling of this product is beyond our control, the user must ensure that the product is suitable for the application. Ockwells cannot accept responsibility for any loss or damage that may occur either directly or indirectly by the use of this product. Ockwells also holds the right to change specification data without prior notice.



ENGINEERING MEASURES

Provide adequate general and local ventilation.

RESPIRATORY EQUIPMENT

Respiratory equipment may be required.

HAND PROTECTION

Wear protective gloves.

EYE PROTECTION

Wear approved safety goggles.

HYGIENE MEASURES

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact

Wash at the end of every work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes wet. When using do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	White Viscous liquid
COLOUR:	White (Dries and cures clear)
ODOUR:	Mild odour
RELATIVE DENSITY:	1.09
VISCOSITY:	18000 cP @ 20deg C
FLASH POINT (DEG C):	N/A
EXTINGUISHING MEDIA:	N/A
EVAPORATION RATE	As per water
SOLUBILITY IN WATER	100%
TENSILE STRENGTH	>5Mpa
ELONGATION	>1000%

NEWBURY

Unit 6, Transigo,
Gables Way, Thatcham,
Berkshire RG19 4ZA
T: 01635 876336
sales@ockwells.com

WARRINGTON

Unit 29, Melford Court,
Woolston, Warrington,
Cheshire WA1 4RZ
T: 01925 820003
sales.warrington@ockwells.com

GLASGOW

Unit 2, 45 Maclellan Street
Kinning Parkway Estate,
Glasgow G41 1RR
T: 0141 427 3366
sales.glasgow@ockwells.com

EAST LONDON

Unit E1, Thames View
Business Centre, Fairview Ind
Park, Rainham RM13 8BT
T: 020 7473 8770
sales.rainham@ockwells.com

These properties are the Manufacturer's typical values based on the average of several tests. As the installation and handling of this product is beyond our control, the user must ensure that the product is suitable for the application. Ockwells cannot accept responsibility for any loss or damage that may occur either directly or indirectly by the use of this product. Ockwells also holds the right to change specification data without prior notice.



ADHESION <1.0MPa

SOLIDS CONTENT Approximately 45%

Ph (Neat) Approximately 7-8

FIRE FIGHTING PROCEDURES: This product is non-flammable and does not cause hazard.

10. STABILITY AND REACTIVITY

STABILITY
Stable under normal temperature conditions and recommended use.

11. TOXICOLOGICAL INFORMATION

INHALATION
May cause irritation to the respiratory system.

INGESTION
May cause discomfort if swallowed.

SKIN CONTACT
Liquid may irritate skin.

EYE CONTACT
Splashes may irritate

12. ECOLOGICAL INFORMATION

EXOTOXICITY
The product components are not classified as environmentally hazardous. However, this does not Exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

NEWBURY
Unit 6, Transigo,
Gables Way, Thatcham,
Berkshire RG19 4ZA
T: 01635 876336
sales@ockwells.com

WARRINGTON
Unit 29, Melford Court,
Woolston, Warrington,
Cheshire WA1 4RZ
T: 01925 820003
sales.warrington@ockwells.com

GLASGOW
Unit 2, 45 Maclellan Street
Kinning Parkway Estate,
Glasgow G41 1RR
T: 0141 427 3366
sales.glasgow@ockwells.com

EAST LONDON
Unit E1, Thames View
Business Centre, Fairview Ind
Park, Rainham RM13 8BT
T: 020 7473 8770
sales.rainham@ockwells.com

These properties are the Manufacturer's typical values based on the average of several tests. As the installation and handling of this product is beyond our control, the user must ensure that the product is suitable for the application. Ockwells cannot accept responsibility for any loss or damage that may occur either directly or indirectly by the use of this product. Ockwells also holds the right to change specification data without prior notice.



13. DISPOSAL CONSIDERATIONS

GENERAL INFORMATION

The dried PROTECTORGLAZE can be disposed of in a landfill and will decompose over a period of time, and does not contaminate the environment.
European Waste Code: MFSU and Removal of Coatings 08 01 99

14. TRANSPORT INFORMATION

GENERAL

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR, RID)

PROPER SHIPPING NAME

Non required

ROAD TRANSPORT NOTES

Not classified

SEA TRANSPORT NOTES

Not classified

AIR TRANSPORT NOTES

Not classified

UN NO. ROAD

COMMODITY CODE: 3905999099

NEWBURY

Unit 6, Transigo,
Gables Way, Thatcham,
Berkshire RG19 4ZA
T: 01635 876336
sales@ockwells.com

WARRINGTON

Unit 29, Melford Court,
Woolston, Warrington,
Cheshire WA1 4RZ
T: 01925 820003
sales.warrington@ockwells.com

GLASGOW

Unit 2, 45 Maclellan Street
Kinning Parkway Estate,
Glasgow G41 1RR
T: 0141 427 3366
sales.glasgow@ockwells.com

EAST LONDON

Unit E1, Thames View
Business Centre, Fairview Ind
Park, Rainham RM13 8BT
T: 020 7473 8770
sales.rainham@ockwells.com

These properties are the Manufacturer's typical values based on the average of several tests. As the installation and handling of this product is beyond our control, the user must ensure that the product is suitable for the application. Ockwells cannot accept responsibility for any loss or damage that may occur either directly or indirectly by the use of this product. Ockwells also holds the right to change specification data without prior notice.



15. REGULATORY INFORMATION

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

16. OTHER INFORMATION

REVISION DATE: MAY 2017
REVIEW DATE: MAY 2019

DISCLAIMER

Information presented herein has been compiled from information provided to us by our suppliers and other sources considered to be dependable and is accurate and reliable to the best of our knowledge and belief but it is not guaranteed to be so. Nothing herein is to be construed as recommending any practice or the use of any product in violation of any patent or in violation of any law or regulation. It is the user's responsibility to determine the suitability of any material for a specific purpose and to adopt such safety precautions as may be necessary. We make no warranty as to the results to be obtained in using any material and, since conditions of use are not under our control, we must necessarily disclaim all liability with respect to the use of any material supplied by us.

NEWBURY

Unit 6, Transigo,
Gables Way, Thatcham,
Berkshire RG19 4ZA
T: 01635 876336
sales@ockwells.com

WARRINGTON

Unit 29, Melford Court,
Woolston, Warrington,
Cheshire WA1 4RZ
T: 01925 820003
sales.warrington@ockwells.com

GLASGOW

Unit 2, 45 Maclellan Street
Kinning Parkway Estate,
Glasgow G41 1RR
T: 0141 427 3366
sales.glasgow@ockwells.com

EAST LONDON

Unit E1, Thames View
Business Centre, Fairview Ind
Park, Rainham RM13 8BT
T: 020 7473 8770
sales.rainham@ockwells.com

These properties are the Manufacturer's typical values based on the average of several tests. As the installation and handling of this product is beyond our control, the user must ensure that the product is suitable for the application. Ockwells cannot accept responsibility for any loss or damage that may occur either directly or indirectly by the use of this product. Ockwells also holds the right to change specification data without prior notice.